OIKOS S.P.A. A SOCIO UNICO ECOPROTETTIVO LEGNO

Revision nr.10 Dated 15/12/2022 Printed on 15/12/2022 Page n. 1 / 11 Replaced revision:9 (Dated 15/06/2020)

		Safe	ty Data Sh	eet	
	According to Annex I	I to REACH - F	Regulation 2020/878 a	ind to Annex II to UK REACH	
SECTION 1. Identific	ation of the subst	ance/mix	ture and of the	company/undertaking	
1.1. Product identifier					
Product name		ECOPROTET	TIVO LEGNO		
1.2. Relevant identified uses	of the substance or mix	cture and use	s advised against		
Intended use		Water based	, acrylic protective v	arnish for wood in either gloss or mat	t versions.
Uses advised against Use	es other than those indic	ated			
1.3. Details of the supplier o	f the safety data sheet				
Name		OIKOS S.P.A	. A SOCIO UNICO		
Full address District and Country		Via Cherubin 47043	ni 2 Gatteo Mare	(FC)	
District and Country		47045	Italia	(FC)	
		Tel. Fax	0547 681412 0547 681430		
e-mail address of the comp					
responsible for the Safety [Data Sheet	certificazioni	iprodotti@oikos-gro	up.it	
1.4. Emergency telephone n	umber				
For urgent inquiries refer to)	NHS Nationa	I Health Service 111		
OIKOS S.P.A. a socio unio Technical support - Mond					
SECTION 2. Hazards identifi	cation				
2.1. Classification of the sub	ostance or mixture				
	t contains hazardous subs	stances in con	centrations such as to	ulation 1272/2008 (CLP). be declared in section no. 3, it requires	a safety
data sheet with appropriate	e information, compliant to	(EU) Regulati	ion 2020/878.		
Hazard classification and ir	ndication:				
2.2. Label elements					
Hazard labelling pursuant t	o EC Regulation 1272/200	08 (CLP) and s	subsequent amendme	ents and supplements.	
Hazard pictograms:					
Signal words:					
Hazard statements:					
	Safety data sheet availab Contains: 1.2-I	le on request. penzisothiazol	-3(2H)-one		
	Hydi	roxyphenyl-be	nzotriazole derivatives	5	
	May produce an allergic r	eaction.			
Precautionary statements:					
Trocadionary statismente.					
VOC (Directive 2004/42/EC	<u>/</u>				
Interior / exterior trim varnis VOC given in g/litre of prod		dition :	80,00		
Limit value:	-		130,00		
					@EPY 11.4.1 - SDS 1004.14

EN



Revision nr.10 Dated 15/12/2022 Printed on 15/12/2022 Page n. 2 / 11 Replaced revision:9 (Dated 15/06/2020)

SECTION 2. Hazards identification ... / >>

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration $\geq 0.1\%$.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification	x = Con	c. % Cla	ssification (EC) 1272/2008 (CLP)
(2-methoxym	ethylethoxy)propa	nol	
INDEX		1,5 ≤ x < 2,5	Substance with a community workplace exposure limit.
EC	252-104-2		
CAS	34590-94-8		
REACH Reg.	01-2119450011-6	0	
Hydroxyphen	yl-benzotriazole de	erivatives	
INDEX	607-176-00-3	0,244 ≤ x < 0,25	Skin Sens. 1 H317, Aquatic Chronic 2 H411
EC	400-830-7		
CAS			
REACH Reg.	01-2119396032-4	3-0000	
1,2-benzisoth	iazol-3(2H)-one		
INDEX	613-088-00-6	0,039 ≤ x < 0,045	Acute Tox. 2 H330, Acute Tox. 4 H302, Eye Dam. 1 H318, Skin Irrit. 2 H315,
			Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 2 H411
EC	220-120-9		Skin Sens. 1 H317: ≥ 0,05%
CAS	2634-33-5		LD50 Oral: >490 mg/kg bw, STA Inhalation mists/powders: 0,051 mg/l, STA
			Inhalation vapours: 0,501 mg/l
REACH Reg.	01-2120761540-6	0	

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

SECTION 5. Firefighting measures ... / >>

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DEU	Deutschland	Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56
ESP	España	Límites de exposición profesional para agentes químicos en España 2021
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
POL	Polska	Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Fourth Edition 2020)
EU	OEL EU	Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU)

OIKOS S.P.A. A SOCIO UNICO ECOPROTETTIVO LEGNO

Revision nr.10 Dated 15/12/2022 Printed on 15/12/2022 Page n. 4 / 11 Replaced revision:9 (Dated 15/06/2020)

SECTION 8. Exposure controls/personal protection ... / >>

TLV-ACGIH

2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. ACGIH 2021

		A00111202	1					
		(2	2-methoxymeth	hvlethoxv)prou	oanol			
/alue		(-						
Country	TWA/8h		STEL/15	min	Remarks / O	bservations		
	mg/m3	ppm	mg/m3	ppm				
DEU	310	50	310	50				
DEU	310	50	310	50				
ESP	308	50			SKIN			
FRA	308	50			SKIN			
ITA	308	50			SKIN			
POL	240		480		SKIN			
GBR	308	50			SKIN			
EU	308	50			SKIN			
		50						
ct concentra	ation - PNE	С						
fresh water						19	mg/l	
marine wate	ər					1,9	mg/l	
r fresh water	r sediment					70,2	mg/kg	
r marine wat	ter sedimen	t				7,02	mg/kg	
r water, inter	rmittent rele	ase				190	mg/l	
STP microc	organisms					4168	mg/l	
		nent				2,74	mg/kg	
o-effect lev	el - DNEL /	DMEL					-	
Effects on consumers		umers			Effects on workers			
ure Acu	te Ac	ute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
loca	al sys	stemic	local	systemic	local	systemic	local	systemic
			VND	36				-
				mg/kg bw/d				
			VND	37,2			VND	308
				mg/m3				mg/m3
			VND	121			VND	283
				mg/kg bw/d				mg/kg
								bw/d
ct concentre	ation - PNF	C	1,2-benzisot	niażoi-3(2H)-o	ne			
						4 03	ug/l	
							0	
Normal value for fresh water sediment						,	100	
		<u>_</u>						
	•	DMEI				1,03	mg/i	
						koro		
			Chronie	Chronie			Chronie	Chronie
								Chronic
ioca	ii sys	stemic	iocai		local	systemic	iocai	systemic
								6,81
				mg/m3 345				mg/m3 966
	Country DEU DEU ESP FRA ITA POL GBR EU ct concentra fresh water or fresh water, inter f STP microco or the terrestr no-effect lev Effe ure Acu loca	Country TWA/8h mg/m3 DEU 310 DEU 310 ESP 308 FRA 308 ITA 308 POL 240 GBR 308 EU 308 ct concentration - PNE fresh water or fresh water sediment or water, intermittent released for the terrestrial compartment or the terrestrial compartment of fresh water sediment or fresh wate	Table Country TWA/8h mg/m3 ppm DEU 310 50 DEU 310 50 DEU 310 50 ESP 308 50 FRA 308 50 POL 240	Yalue TWA/8h STEL/15 mg/m3 ppm mg/m3 DEU 310 50 310 ESP 308 50 174 FRA 308 50 174 POL 240 480 480 GBR 308 50 175 Fresh water 308 50 175 offesh water 50 175 offesh water sediment 50 175 or marine water sediment 50 175 or marine water sediment 50 175 or marine water sediment 50 175 or fresh water Acute Acute Chronic local systemic local 100 <tr< td=""><td>falue STEL/15min Country TWA/8h STEL/15min mg/m3 ppm mg/m3 ppm DEU 310 50 310 50 DEU 310 50 310 50 ESP 308 50 </td><td>Country TWA/8h STEL/15min Remarks / O mg/m3 ppm mg/m3 ppm ppm DEU 310 50 310 50 DEU 310 50 310 50 ESP 308 50 SKIN FRA 308 50 SKIN POL 240 480 SKIN POL 240 480 SKIN GBR 308 50 SKIN EU 308 50 SKIN marine water strin Strin marine water strin Strin ffresh water sediment marine water sediment strin or fresh water sediment strin Strin or fresh water sediment marine water strin or fresh water sediment marine water strin or fresh water sediment local systemic local vND 37,2 mg/kg bw/d mg/kg bw/d vND</td><td>falue NTEX STEL/ISMI Remarks / Observations mg/m3 ppm mg/m3 ppm Remarks / Observations DEU 310 50 310 50 Stel/ISMI DEU 310 50 310 50 SKIN DEV 308 50 SKIN FRA 308 50 SKIN FRA 308 50 SKIN SKIN FRA 308 S0 SKIN SKIN GBR 308 50 SKIN SKI</td><td>falue STEL/15min Remarks / Observations DEU 310 50 StEL/15min Remarks / Observations DEU 310 50 StEL/15min Remarks / Observations DEU 310 50 StRIN Stressen ESP 308 50 StRIN Stressen FRA 308 50 StRIN Stressen POL 240 480 StRIN Stressen FRA 308 50 StRIN Stressen FOL 240 480 StRIN Stressen FOL 240 480 StRIN Stressen FOL 240 480 StRIN Stressen For marine water sediment 50 StRIN Stressen Stressen tressentation or PNEC Total stressentiment 70.2 mg/kg mg/l fresh water sediment 70.2 mg/kg mg/l Stressen Stressen or stressentimet VND Stressen Stressen S</td></tr<>	falue STEL/15min Country TWA/8h STEL/15min mg/m3 ppm mg/m3 ppm DEU 310 50 310 50 DEU 310 50 310 50 ESP 308 50	Country TWA/8h STEL/15min Remarks / O mg/m3 ppm mg/m3 ppm ppm DEU 310 50 310 50 DEU 310 50 310 50 ESP 308 50 SKIN FRA 308 50 SKIN POL 240 480 SKIN POL 240 480 SKIN GBR 308 50 SKIN EU 308 50 SKIN marine water strin Strin marine water strin Strin ffresh water sediment marine water sediment strin or fresh water sediment strin Strin or fresh water sediment marine water strin or fresh water sediment marine water strin or fresh water sediment local systemic local vND 37,2 mg/kg bw/d mg/kg bw/d vND	falue NTEX STEL/ISMI Remarks / Observations mg/m3 ppm mg/m3 ppm Remarks / Observations DEU 310 50 310 50 Stel/ISMI DEU 310 50 310 50 SKIN DEV 308 50 SKIN FRA 308 50 SKIN FRA 308 50 SKIN SKIN FRA 308 S0 SKIN SKIN GBR 308 50 SKIN SKI	falue STEL/15min Remarks / Observations DEU 310 50 StEL/15min Remarks / Observations DEU 310 50 StEL/15min Remarks / Observations DEU 310 50 StRIN Stressen ESP 308 50 StRIN Stressen FRA 308 50 StRIN Stressen POL 240 480 StRIN Stressen FRA 308 50 StRIN Stressen FOL 240 480 StRIN Stressen FOL 240 480 StRIN Stressen FOL 240 480 StRIN Stressen For marine water sediment 50 StRIN Stressen Stressen tressentation or PNEC Total stressentiment 70.2 mg/kg mg/l fresh water sediment 70.2 mg/kg mg/l Stressen Stressen or stressentimet VND Stressen Stressen S

µg/kg bw/d

966 µg/kg bw/d



0,25

SECTION 8. Exposure controls/personal protection/>>

		пуч	uroxypnenyi-be	inzotnazole del	Ivalives			
Predicted no-effect cor	ncentration	- PNEC						
Normal value in fresh	Normal value in fresh water 23 µg/l							
Normal value in marir	Normal value in marine water 0,46 µg/l							
Normal value for fres	h water sedi	ment				7,26	mg/kg	
Normal value for mar	Normal value for marine water sediment 726 µg/kg							
Normal value for wate	er, intermitte	nt release				28	µg/l	
Normal value of STP	Normal value of STP microorganisms 100 mg/l							
Normal value for the terrestrial compartment 14,52 mg/kg								
Health - Derived no-effect level - DNEL / DMEL								
	Effects on consumers				Effects on workers			
Route of exposure	Acute	Acute	Chronic	Chronic	Acute	Acute	Chronic	Chronic
	local	systemic	local	systemic	local	systemic	local	systemic
Oral				0,025				
				mg/kg bw/d				
Inhalation				0,085				0,350
				mg/m3				mg/m3

0,025

Hydroxynhonyl honzotriazolo dorivativos

Skin

mg/kg bw/d mg/kg bw/d

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction. VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value		
Appearance	liquid		
Colour	The colour chart shades		
Odour	Feeble		
Melting point / freezing point	not available		
Initial boiling point	> 100 °C		
Flammability	not flammable		

Information



SECTION 9. Physical and chemical properties .../>>

Lower explosive limit Upper explosive limit Flash point Auto-ignition temperature Decomposition temperature pH Kinematic viscosity Dynamic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Relative vapour density Particle characteristics not applicable not applicable not applicable not available 8,5-9 not available 3000 cps Mixable in water not available not available 1,05 not available not available not available

6,97 % - 73,19

2.14 % - 22.48

not applicable

not applicable

g/litre

g/litre

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2004/42/EC) : VOC (volatile carbon) Explosive properties Oxidising properties

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

(2-methoxymethylethoxy)propanol Forms peroxides with: air.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

(2-methoxymethylethoxy)propanol

May react violently with: strong oxidising agents.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

(2-methoxymethylethoxy)propanol Avoid exposure to: sources of heat.Possibility of explosion.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the

toxicological effects of exposure to the product.

ΕN

OIKOS S.P.A. A SOCIO UNICO ECOPROTETTIVO LEGNO

Revision nr.10 Dated 15/12/2022 Printed on 15/12/2022 Page n. 7 / 11 Replaced revision:9 (Dated 15/06/2020)

SECTION 11. Toxicological information .../>>

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation - mists / powders) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

> (2-methoxymethylethoxy)propanol LD50 (Dermal): LD50 (Oral): LC50 (Inhalation vapours):

1,2-benzisothiazol-3(2H)-one LD50 (Dermal): LD50 (Oral):

Hydroxyphenyl-benzotriazole derivatives LD50 (Dermal): LD50 (Oral):

2000 mg/kg Rat 5000 mg/kg Rat

9510 mg/kg rabbit

2000 mg/kg bw (rat) > 490 mg/kg bw 490-670 (rat)

> 5000 mg/kg rat

275 mg/l/7h rat

> 5 mg/l

Not classified (no significant component)

Not classified (no significant component)

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

RESPIRATORY OR SKIN SENSITISATION

May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one Hydroxyphenyl-benzotriazole derivatives

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

OIKOS S.P.A. A SOCIO UNICO ECOPROTETTIVO LEGNO

SECTION 11. Toxicological information .../>>

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

(2-methoxymethylethoxy)propanol LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants	> 1000 mg/l/96h Poecilia reticulata 1919 mg/l/48h 6999 mg/l/72h Skeletonema costatum
1,2-benzisothiazol-3(2H)-one LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants Chronic NOEC for Algae / Aquatic Plants	> 2,15 mg/l 2,15-22 > 2,9 mg/l 2,9-2,94 > 70 μg/l 70-150 > 40,3 μg/l 40-55
Hydroxyphenyl-benzotriazole derivatives LC50 - for Fish EC50 - for Crustacea EC50 - for Algae / Aquatic Plants 12.2. Persistence and degradability	2,8 mg/l/96h 4 mg/l/48h 9 mg/l/72h
(2-methoxymethylethoxy)propanol Solubility in water Rapidly degradable	1000 - 10000 mg/l

1,2-benzisothiazol-3(2H)-one Rapidly degradable

12.3. Bioaccumulative potential

Information not available

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available



SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU:

75

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 Contained substance

None

Point

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors not applicable

Substances in Candidate List (Art. 59 REACH) On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)
None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012: None

Substances subject to the Rotterdam Convention:



None

Substances subject to the Stockholm Convention:

Healthcare controls Information not available

VOC (Directive 2004/42/EC) : Interior / exterior trim varnishes and woodstains.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017) WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 4	Acute toxicity, category 4
Eye Dam. 1	Serious eye damage, category 1
Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 2	Hazardous to the aquatic environment, chronic toxicity, category 2
H330	Fatal if inhaled.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation

OIKOS

SECTION 16. Other information ... / >>

- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified: 02 / 03 / 04 / 06 / 07 / 08 / 09 / 11 / 12 / 15 / 16.